



Any room.
Any home.
Any lifestyle.



Contents

03/05	Arno Towel Rail Range	
04	- Arno Single	
04	- Arno Double	
05	- Arno Curved Towel Rail	
06	Verona Towel Rail	
07/10	Verona Range	
08	- Verona Single Plane	
08	- Verona Double Plane	
08	- Verona Vertical	
09	- Verona Lo-Line	
10	- Verona Slimline	
11/12	Column Range	
12	- Column 2	
12	- Column 2 Vertical	
12	- Column 3	
12	- Column 4	
13/14	Everest Line	
15/16	Plan	NEW
17/18	Alto Line	
19/20	Compact	
21/22	LST Standard	
23/28	Technical Data	
29/30	Colour Range	
31	Glossary	



Designer warmth with contemporary flair

Radiators play such an important role in today's lifestyles. They are the focal point of many rooms, so they should reflect your aspirational needs for good looks as well as a comfortable environment. Henrad is the radiator range to satisfy all your expectations.

As part of the Stelrad Radiator Group, Henrad has a highly respected pedigree. Within the current portfolio, the Compact steel panel range is unsurpassed, offering over 140 variants to meet your specific needs. And, representing the demand for leading edge design, the Verona, Everest Line, Plan, Alto Line and Column styles are already well established.

We have some stunning products, including the Arno Single, Arno Double, Arno Curved and Verona Towel Rails to give you even more choice for your home. Henrad's LST Standard is a low surface temperature radiator for safety conscious environments. There are also plenty of variants that now include the option of stylish modern colourways to further enhance your favourite rooms.

Henrad – the radiator for choice, quality and guaranteed value.

Arno Single Towel Rail



Arno Double Towel Rail




Arno Curved Towel Rail



Verona Towel Rail



Arno Towel Rail Range



Elegant tube on tube design consisting of a tight array of slim tubes makes the Arno range an easy choice for any bathroom or kitchen.

Prices
exclude
VAT

Arno Single

Height mm	Length mm	Henrad Code	UIN Colour*	Heat emissions		Henrad Price
				Watts	Btu/hr	
792	450	417902450	417902451	389	1327	£192.24
	500	417902500	417902501	431	1471	£216.00
	600	417902600	417902601	517	1764	£239.76
	750	417902750	417902751	645	2201	£263.52
1088	450	411002450	411002451	615	2098	£204.12
	500	411002500	411002501	675	2303	£227.88
	600	411002600	411002601	794	2709	£251.64
	750	411002750	411002751	972	3316	£275.40
1680	450	411602450	411602451	900	3071	£275.40
	500	411602500	411602501	986	3364	£300.24
	600	411602600	411602601	1158	3951	£324.00
	750	411602750	411602751	1416	4831	£347.76
1976	450	411902450	411902451	1002	3419	£300.24
	500	411902500	411902501	1099	3750	£324.00
	600	411902600	411902601	1294	4415	£347.76
	750	411902750	411902751	1586	5411	£371.52

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 6 bar



Colour options available, see page 29

*Price of coloured radiators are available on request.

When a coloured radiator has been ordered it cannot be cancelled or returned.
All coloured radiators have a 6 week lead time from date of order.



Arno Double

Height mm	Length mm	Henrad Code	UIN Colour*	Heat emissions		Henrad Price
				Watts	Btu/hr	
792	450	427902450	427902451	552	1883	£251.64
	500	427902500	427902501	616	2102	£275.40
	600	427902600	427902601	748	2552	£300.24
	750	427902750	427902751	947	3231	£324.00
1088	450	421002450	421002451	868	2962	£275.40
	500	421002500	421002501	963	3286	£300.24
	600	421002600	421002601	1154	3937	£324.00
	750	421002750	421002751	1441	4917	£347.76
1680	450	421602450	421602451	1268	4326	£359.64
	500	421602500	421602501	1402	4784	£383.40
	600	421602600	421602601	1670	5698	£407.16
	750	421602750	421602751	2073	7073	£432.00
1976	450	421902450	421902451	1427	4869	£395.28
	500	421902500	421902501	1576	5377	£420.12
	600	421902600	421902601	1874	6394	£443.88
	750	421902750	421902751	2321	7919	£467.64

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Arno Curved Towel Rail



Colour illustrated Dove grey

Arno Curved Towel Rail

Height mm	Length mm	Henrad Code	UIN Colour*	Heat emissions		Henrad Price
				Watts	Btu/hr	
792	496	447902496	447902497	431	1471	£227.88
	595	447902595	447902596	517	1764	£239.76
1088	496	441002496	441002497	675	2303	£251.64
	595	441002595	441002596	794	2709	£263.52
1680	496	441602496	441602497	986	3364	£300.24
	595	441602595	441602596	1158	3951	£324.00
1976	496	441902496	441902497	1099	3750	£324.00
	595	441902595	441902596	1294	4415	£359.64

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Elegant tube on tube design consisting of a tight array of slim curved tubes makes the Arno range an easy choice for any bathroom or kitchen whether it's a modern, contemporary or period interior.

Working pressure:
Tested to withstand 6 bar



Colour options available, see page 29

*Price of coloured radiators are available on request.
When a coloured radiator has been ordered it cannot be cancelled or returned.
All coloured radiators have a 6 week lead time from date of order.

Verona Towel Rail

The Verona Towel Rail offers a stunning alternative to tubular towel rails. Providing a contemporary solution to a wide range of building applications.

Prices
exclude
VAT

Verona Towel Rail

Height mm	Length mm	Henrad Code	UIN Colour*	Heat emissions		Henrad Price
796	450	437902450	437902451	342	1167	£264.60
	600	437902600	437902601	447	1525	£281.88
1121	450	431102450	431102451	530	1808	£313.20
	600	431102600	431102601	694	2368	£330.48
1446	450	431402450	431402451	666	2272	£372.60
	600	431402600	431402601	869	2965	£389.88
1706	450	431702450	431702451	777	2651	£502.20
	600	431702600	431702601	1010	3446	£519.48

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 4 bar

5 Year
Warranty

EN 442

Colour options available, see page 29

*Price of coloured radiators are available on request.
When a coloured radiator has been ordered it cannot be cancelled or returned.
All coloured radiators have a 6 week lead time from date of order.

Colour illustrated Pastel orange

Verona Range



Offering visual appeal combined with advanced technology, the Verona provides a contemporary solution for a huge range of applications.

With a choice of four types and a variety of sizes and outputs, the Verona allows extensive flexibility of siting, whilst breaking new barriers in heating efficiency.

Prices
exclude
VAT

Verona Single Plane



Verona Single Plane

Height mm	Length mm	Tap Centres	Henrad Code	Heat emissions Watts Btu/hr		Henrad Price
588	500	512	248363	500	1706	£156.60
	600	612	248364	599	2044	£167.40
	700	712	248365	699	2385	£178.20
	800	812	248366	799	2727	£189.00
	1000	1012	248368	999	3409	£210.60
	1200	1212	248370	1199	4092	£232.20
	1400	1412	248371	1399	4775	£253.80
	1600	1612	248372	1598	5452	£275.40
	1800	1812	248373	1798	6135	£297.00
	2000	2012	248374	1998	6817	£318.60

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Verona Double Plane



Verona Double Plane

Height mm	Length mm	Tap Centres	Henrad Code	Heat emissions Watts Btu/hr		Henrad Price
588	600	612	248415	992	3385	£340.20
	700	712	248416	1158	3951	£361.80
	800	812	248417	1323	4514	£383.40
	900	912	248418	1489	5080	£405.00
	1000	1012	248419	1654	5643	£426.60
	1200	1212	248421	1985	6773	£469.80
	1400	1412	248422	2316	7902	£513.00
	1600	1612	248423	2646	9028	£556.20
	1800	1812	248424	2977	10158	£599.40
	2000	2012	248425	3308	11287	£642.60

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Verona Vertical



Working pressure:
Tested to withstand 4.6 bar



Verona Vertical


Height mm	Length mm	Tap Centres	Henrad Code	Heat emissions Watts Btu/hr		Henrad Price
1800	440	440	248340	780	2662	£199.80
	588	588	248341	1040	3549	£253.80
	736	736	248342	1300	4436	£307.80
2000	440	440	248343	870	2969	£253.80
	588	588	248344	1160	3959	£307.80
	736	736	248345	1450	4947	£361.80

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Verona Range



Verona Lo-Line



Verona Lo-Line

Height mm	Length mm	Tap Centres	Henrad Code	Heat emissions Watts	Btu/hr	Henrad Price
144	800	812	248581	530	1809	£183.60
	1400	1412	248311	928	3166	£243.00
	2000	2012	248314	1326	4524	£307.80
	2200	2212	248315	1459	4979	£329.40
292	2200	2212	248323	2468	8423	£502.20

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 4.6 bar



Offering visual appeal combined with advanced technology, the Verona provides a contemporary solution for a huge range of applications.

With a choice of four types and a variety of sizes and outputs, the Verona allows extensive flexibility of siting, whilst breaking new barriers in heating efficiency.

Prices
exclude
VAT

Verona Slimline


Height mm	Length mm	Tap Centres	Henrad Code	Heat emissions Watts	Btu/hr	Henrad Price
1800	320	320	248300	872	2976	£216.00
	440	440	248301	1199	4092	£270.00
	520	520	248302	1417	4836	£324.00
	640	640	248303	1744	5952	£378.00
2000	320	320	248304	978	3338	£253.80
	440	440	248305	1344	4587	£307.80
	520	520	248306	1589	5423	£361.80
	640	640	248307	1956	6675	£415.80

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 4.6 bar



Column Range



The most modern execution of a traditional concept, this classic style brings innovation and reliability to a high performance design.

Vertical and horizontal options offer a modern alternative to a traditional panel radiator, and will enhance both contemporary and traditional settings.

Prices
exclude
VAT

Column 2

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
Watts	Btu/hr				
500	628	263012	499	1703	£129.60
	628	263028	589	2010	£140.40
600	858	263029	815	2782	£178.20
	1042	263030	997	3403	£216.00
	1272	263031	1223	4174	£280.80

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Column 2 Vertical

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
Watts	Btu/hr				
1800	352	263054	868	2962	£172.80
	444	263055	1116	3809	£226.80
2000	352	263056	1197	4084	£178.20
	444	263057	1242	4239	£232.20

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Column 3

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
Watts	Btu/hr				
500	444	263016	464	1583	£140.40
	858	263018	929	3171	£183.60
	1042	263019	1135	3874	£243.00
	1272	263020	1393	4754	£313.20
	1456	263021	1600	5459	£334.80
	1870	263022	2064	7044	£421.20
600	444	263032	548	1870	£151.20
	628	263033	792	2703	£172.80
	858	263034	1096	3741	£199.80
	1042	263035	1340	4573	£248.40
	1272	263036	1644	5611	£318.60
	1456	263037	1888	6444	£345.60
750	1870	263038	2436	8314	£442.80
	858	263044	1337	4563	£248.40
	1042	263045	1635	5580	£291.60
	1272	263046	2006	6844	£378.00
	1456	263047	2303	7858	£442.80

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8 bar



Column 4

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
Watts	Btu/hr				
500	858	263025	1217	4152	£226.80
	1042	263026	1487	5074	£280.80
	1272	263027	1825	6227	£340.20
600	628	263040	1037	3538	£183.60
	858	263041	1436	4900	£226.80
	1042	263042	1756	5991	£280.80
750	1272	263043	2155	7353	£340.20
	628	263050	1266	4320	£216.00
	858	263051	1753	5981	£280.80
	1042	263052	2143	7312	£334.80
	1272	263053	2630	8974	£421.20

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Due to production tolerances, the length of the product and therefore the tap centres could contain a variation of +/- 1.5% of the overall stated length.

Column 2 Vertical


Column 2

Column 3

Column 4



Everest Line



With its flat front panel featuring pleasing horizontal lines the Everest Line radiator offers contemporary good looks, adding a new dimension to any room.

Prices
exclude
VAT



Everest Line

Everest Line

Single Convector Type 11

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
500	600	3051106	448	1530	£72.36
	800	3051108	598	2040	£86.40
	1000	3051110	746	2545	£100.44
	1200	3051112	897	3060	£114.48
	1400	3051114	1046	3570	£128.52
600	600	3061106	522	1782	£82.08
	800	3061108	696	2375	£96.12
	1000	3061110	870	2969	£110.16
	1200	3061112	1044	3563	£124.20
	1400	3061114	1219	4158	£138.24

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8 bar



Everest Line

Everest Line

Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
500	600	3052206	833	2843	£111.24
	800	3052208	1110	3788	£125.28
	1000	3052210	1388	4737	£139.32
	1200	3052212	1666	5686	£153.36
	1400	3052214	1943	6631	£167.40
600	600	3062206	961	3280	£120.96
	800	3062208	1281	4372	£135.00
	1000	3062210	1601	5464	£149.04
	1200	3062212	1921	6556	£163.08
	1400	3062214	2241	7649	£177.12

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Plan



Simplicity itself, the Plan range features a smooth, flat front panel with integrated top grille and side panels, providing a minimalistic, slimline, sleek and modern

appearance. Available in a range of sizes for both horizontal and vertical radiators, the Plan provides an instant level of sophistication to any room.

Plan



Working pressure:
Tested to withstand 8 bar



Plan



NEW Plan

Single Convector Type 11

Height mm	Length mm	Henrad Code	Heat emissions		List Price
			Watts	Btu/hr	
500	600	4051106	448	1530	£106.92
	800	4051108	597	2040	£124.20
	1000	4051110	746	2545	£141.48
	1200	4051112	895	3060	£158.76
	1400	4051114	1044	3570	£176.04
600	600	4061106	522	1782	£117.72
	800	4061108	696	2375	£135.00
	1000	4061110	870	2969	£152.28
	1200	4061112	1044	3563	£169.56
	1400	4061114	1218	4158	£186.84

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

NEW Plan

Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions		List Price
			Watts	Btu/hr	
500	600	4052206	833	2843	£154.44
	800	4052208	1110	3788	£171.72
	1000	4052210	1388	4737	£189.00
	1200	4052212	1666	5686	£206.28
	1400	4052214	1943	6631	£223.56
600	600	4062206	961	3280	£166.32
	800	4062208	1281	4372	£183.60
	1000	4062210	1601	5464	£200.88
	1200	4062212	1921	6556	£218.16
	1400	4062214	2241	7649	£235.44

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Alto Line



The Alto Line radiator incorporates all the features of the Everest Line but with a vertical line design.

Prices
exclude
VAT

Alto Line



Alto Line

Double Convector Type 22

Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price
			Watts	Btu/hr	
1600	300	3162203	693	2365	£276.48
	500	3162205	1155	3942	£290.52
1800	500	3182205	1845	6295	£304.56

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

Working pressure:
Tested to withstand 8 bar



Compact

With a slim profile and smooth, white finish, Compact radiators will blend into any room in the house, to provide guaranteed heating performance.



Compact

Single Convector Type 11 & Type 21
Double Convector Type 22

Working pressure:
Tested to withstand 8 bar



Type 11

Type 21

Type 22

Prices exclude VAT		SINGLE CONVECTOR TYPE 11				SINGLE CONVECTOR TYPE 21				DOUBLE CONVECTOR TYPE 22			
Height mm	Length mm	Henrad Code	Heat emissions		Henrad Price	Henrad Code	Heat emissions		Henrad Price	Henrad Code	Heat emissions		Henrad Price
300	500	2031105	255	868	£12.52	2032105	373	1271	£18.85	2032205	491	1675	£23.84
	1000	2031110	509	1737	£24.84	2032110	745	2542	£37.44	2032210	982	3351	£47.53
	1500	2031115	764	2605	£37.20	2032115	1118	3813	£56.06	2032215	1473	5026	£71.25
	1600	-	-	-	-	-	-	-	-	2032216	1571	5362	£95.04
	2000	2031120	1018	3473	£49.55	2032120	1490	5084	£74.68	2032220	1964	6701	£94.95
450	400	2011104	302	1032	£14.94	2012104	422	1440	£21.70	2012204	548	1871	£27.19
	500	2011105	378	1290	£18.62	2012105	528	1800	£27.06	2012205	686	2339	£33.97
	600	2011106	454	1548	£22.31	2012106	633	2160	£32.44	2012206	823	2807	£40.75
	700	2011107	529	1806	£26.02	2012107	739	2520	£37.81	2012207	960	3274	£47.53
	800	2011108	605	2064	£29.71	2012108	844	2880	£43.19	2012208	1097	3742	£54.31
	900	2011109	680	2322	£33.42	2012109	950	3240	£48.57	2012209	1234	4210	£61.08
	1000	2011110	756	2579	£37.12	2012110	1055	3600	£53.95	2012210	1371	4678	£67.87
	1100	2011111	832	2837	£40.81	2012111	1161	3960	£59.32	2012211	1508	5146	£74.65
	1200	2011112	907	3095	£44.52	2012112	1266	4320	£64.70	2012212	1645	5613	£81.42
	1400	2011114	1058	3611	£51.92	2012114	1477	5040	£75.45	2012214	1919	6549	£94.99
	1600	2011116	1210	4127	£59.32	2012116	1688	5759	£86.21	2012216	2194	7485	£108.55
	1800	2011118	1361	4643	£66.73	2012118	1899	6479	£96.96	2012218	2468	8420	£122.10
	2000	2011120	1512	5159	£74.14	2012120	2110	7199	£107.72	2012220	2742	9356	£135.67
	2200	2011122	1663	5675	£81.54	-	-	-	-	2012222	3016	10291	£149.23
	2400	2011124	1814	6191	£88.95	-	-	-	-	2012224	3290	11227	£162.80
	2600	2011126	1966	6707	£96.36	-	-	-	-	2012226	3565	12162	£176.35
	2800	2011128	2117	7223	£103.76	2012128	2954	10079	£150.89	2012228	3839	13098	£189.92
	3000	2011130	2268	7738	£111.16	-	-	-	-	2012230	4113	14034	£203.47
600	300	2061103	294	1003	£20.53	-	-	-	-	-	-	-	-
	400	2061104	392	1338	£19.43	2062104	538	1836	£27.99	2062204	693	2364	£34.89
	500	2061105	490	1672	£24.26	2062105	673	2295	£34.94	2062205	866	2955	£43.61
	600	2061106	588	2006	£29.10	2062106	807	2753	£41.90	2062206	1039	3546	£52.32
	700	2061107	686	2341	£33.93	2062107	942	3212	£48.86	2062207	1212	4137	£61.04
	800	2061108	784	2675	£38.77	2062108	1076	3671	£55.80	2062208	1386	4728	£69.76
	900	2061109	882	3009	£43.61	2062109	1211	4130	£62.77	2062209	1559	5319	£78.47
	1000	2061110	980	3344	£48.45	2062110	1345	4589	£69.72	2062210	1732	5910	£87.19
	1100	2061111	1078	3678	£53.30	2062111	1480	5048	£76.68	2062211	1905	6501	£95.90
	1200	2061112	1176	4013	£58.13	2062112	1614	5507	£83.64	2062212	2078	7092	£104.63
	1400	2061114	1372	4681	£67.80	2062114	1883	6425	£97.56	2062214	2425	8273	£122.06
	1600	2061116	1568	5350	£77.49	2062116	2152	7343	£111.47	2062216	2771	9455	£139.50
	1800	2061118	1764	6019	£87.17	2062118	2421	8260	£125.39	2062218	3118	10637	£156.93
	2000	2061120	1960	6688	£96.85	2062120	2690	9178	£139.31	2062220	3464	11819	£173.40
	2200	2061122	2156	7356	£106.53	-	-	-	-	2062222	3810	13001	£191.81
	2400	2061124	2352	8025	£116.21	-	-	-	-	2062224	4157	14183	£209.25
700	400	2071104	447	1527	£22.28	2072104	612	2088	£32.05	2072204	784	2676	£39.85
	500	2071105	559	1906	£27.83	2072105	765	2610	£40.02	2072205	981	3345	£49.82
	600	2071106	670	2287	£33.39	2072106	918	3132	£48.00	2072206	1177	4015	£59.79
	700	2071107	782	2668	£38.94	2072107	1071	3654	£55.98	2072207	1373	4684	£69.76
	800	2071108	894	3049	£44.51	2072108	1224	4176	£63.96	2072208	1569	5353	£79.73
	900	2071109	1005	3430	£50.06	2072109	1377	4698	£71.93	2072209	1765	6022	£89.69
	1000	2071110	1117	3811	£55.62	2072110	1530	5220	£79.91	2072210	1961	6691	£99.66
	1100	2071111	1229	4192	£61.17	2072111	1683	5742	£87.89	2072211	2157	7360	£109.62
	1200	2071112	1340	4573	£66.73	2072112	1836	6264	£95.87	2072212	2353	8029	£119.60
	1400	2071114	1564	5336	£77.85	2072114	2142	7309	£111.82	2072214	2745	9367	£139.54
	1600	2071116	1787	6098	£88.97	2072116	2448	8353	£127.77	2072216	3138	10705	£159.46
	1800	2071118	2011	6860	£100.08	2072118	2754	9397	£143.74	2072218	3530	12044	£179.41
	2000	2071120	2234	7622	£111.21	2072120	3060	10441	£159.70	2072220	3922	13382	£199.35
	2600	2071126	2904	9908	£144.62	-	-	-	-	-	-	-	-

LST Standard



The LST Standard has been specifically designed to meet the highest standards for low surface temperature radiators.

The range meets the NHS guidance for 'safe hot water and surface temperature'. All radiators are finished with an anti-bacterial paint as standard.

Prices
exclude
VAT

LST Standard



LST Standard

Type K1

Casing Height mm	Casing Length mm	Henrad Code	Heat emissions Watts Btu/hr		Henrad Price
500	560	145400	196	669	£189.00
	560	145424	290	989	£200.88
650	760	145425	435	1484	£254.88
	960	145426	580	1979	£278.64
	1160	145427	725	2474	£304.56
	1360	145428	870	2968	£325.08

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

LST Standard

Type K2

Casing Height mm	Casing Length mm	Henrad Code	Heat emissions Watts Btu/hr		Henrad Price
500	560	145416	348	1187	£200.88
	760	145417	522	1781	£239.76
	1160	145419	870	2968	£325.08
650	560	145440	478	1631	£244.08
	760	145441	717	2446	£279.72
	960	145442	956	3262	£358.56
	1160	145443	1195	4077	£416.88
	1360	145444	1434	4893	£477.36
	1560	145445	1673	5708	£568.08
	1760	145446	1912	6524	£628.56
	1960	145447	2151	7341	£691.20
800	760	145465	922	3146	£328.32
	960	145466	1230	4197	£435.24
	1160	145467	1537	5244	£528.12
	1360	145468	1844	6295	£597.24
	1560	145469	2152	7343	£682.56
	1760	145470	2459	8393	£757.08
	1960	145471	2767	9441	£855.36

Btu/hr @ $\Delta t 50^{\circ}\text{C}$

- LST Standard gives you the option to specify controls.
- LST Standard has the option to reverse the attractive outer casing to suit the pipe layout.
- For peace of mind the paint finish is anti-bacterial.
- The LST Standard comes complete with all components required in one easy package.
- The internal emitter generates excellent heat outputs through convection.
- Tested to high standards, the emitter has a maximum working pressure of 116psi (8 bar) and conforms to BS EN 442.

Working pressure:
Tested to withstand 8 bar



Technical Data

Technical information

Testing and Operating Pressures

Arno Towel Rail Range has been independently tested to ensure radiators perform to a maximum working pressure of 6 bar. Verona Towel Rail has been independently tested to ensure radiators perform to a maximum working pressure of 4 bar. Verona Range has been independently tested to ensure radiators perform to a maximum working pressure of 4.6 bar. Column Range, Everest Line, Plan, Alto Line, Compact and LST Standard have been independently tested to ensure radiators perform to a maximum working pressure of 8 bar.

Connections

Everest Line, Plan and Compact have 4 x 1/2" BSP connections as standard.

Verona has 2 x 1/2" connections (BOE) as standard.

Column has 1/2" BSP Top Bottom Opposite End connections (TBOE) as standard.

Paint Process

Two coat paint process, each Henrad radiator is subjected to a multi-stage cleaning and paint process.

The final powder coat is Warm white (RAL 9016) which is stoved and cooled to give a perfect finish. All radiators are illustrated in Warm white unless stated.

Water Treatment

Installation of the system should be properly flushed and fitted in accordance with the British Code of Practice for the Treatment of Water in Domestic Hot Water Central Heating Systems.

Warranty

Arno Towel Rail Range, Verona Towel Rail, Verona Range, Column Range, Everest Line, Plan, Alto Line come with a 5 year manufacturer's warranty.


Compact comes with a 10 year manufacturer's warranty.

LST Standard comes with a 10 year manufacturer's warranty on Emitter and 5 year manufacturer's warranty on Casing.

Electric Heater Element

Option available for Arno and Verona Towel Rails.


For more information contact the sales office on 0844 543 6200



Arno Towel Rail


Arno Single

All dimensions in mm unless stated.



Arno Double


All dimensions in mm unless stated.



Verona Towel Rail


Arno Curved Towel Rail

All dimensions in mm unless stated.



Verona Towel Rail

All dimensions in mm unless stated.



Technical Data



Verona

Wall Mounting Information

All dimensions in mm.



Verona Plane

Verona Vertical




Type	From back of radiator to wall D	From wall to centre of connections D1	From front of radiator to wall D2
Verona Plane Single	9	44	69
Verona Plane Double	27	94	119
Verona Vertical	25	44	70

Verona Slimline



Type	Back face to finished wall D	From wall to centre of connections D1	From front of radiator to wall D2
Verona Slimline	35	50	130

Verona Lo-line




Height mm	Width mm	X mm
144	800	250
144	1000	350
144	1200	450
144	1400	550
144	1600	650
144	1800	750
144	2000	850
144	2200	950

Column

Wall Mounting Information

All dimensions in mm.



Measurements using 10mm CVD Bracket Slot
(add 5mm if using 15mm Slot)

	WA	D	D2
2 Column	23	54	85
3 Column	23	73	123
4 Column	23	91	159

Accessories

- 163061 Wall bracket retaining spring
- 163062 Wall bracket clamp for classic column
- 148137 Column feet set for 2, 3 & 4 column


Prices on request

Due to production tolerances, the length of the product and therefore the tap centres could contain a variation of +/- 1.5% of the overall stated length.


Technical Data

LST Standard

Casing Length	Casing Height
560	500
760	650
960	800




All dimensions in mm unless stated.




Casing Length	A	B	Casing Height
1160	445	475	500
1360	545	575	650
1560	645	675	800
1760	745	775	
1960	845	875	

LST Standard

All dimensions in mm unless stated.



LST Standard piping option



LST Standard front case view.



LST Standard inside the casing showing the emitter.



LST Standard emitter, showing high level valve option (valve not included).




LST Standard circular knockout for TRV. Oblong knockout for pipe.


Colour Range

A shade for every room, for every interior. Opt for warm elegance, baroque ambience or modern minimalism. With Henrad, you can heat your home in colour. Choose from a full range of stylish radiator colours.


Natural Colour




NT110
Papyrus white
510110




NT120
Pearl white
510120




NT130
Champagne
510130




NT140
Beige
510140



NT150
Beige grey
510150



NT160
Pebble grey
510160



NT170
Quartz grey
510170



SN110
Cream white
530110



SN120
Cream
530120



SN130
Mocca
530130




SN140
Bordeaux
530140



SN150
Sepia
530150




SN160
Pale blue
530160




SN170
Black
530170


Metallic Colour




ML110
Dove grey
520110



ML120
Titanium grey
520120



ML130
Blue grey
520130




ML140
Granite
520140



ML150
Cappuccino
520150



ML160
Terra brown
520160



ML170
Graphite black
520170

RAL Colour



A1004
Golden yellow
541004



A2003
Pastel orange
542003



A3002
Carmine red
543002



A3003
Robin red
543003



A5002
Ultramarine blue
545002




A6018
Yellow green
546018



A7001
Silver grey
547001



A7011
Iron grey
547011



A7016
Anthracite grey
547016



A7030
Stone grey
547030




A7035
Light grey
547035



A8017
Chocolate brown
548017



A9003
Signal white
549003



A9005
Jet black
549005



A9016
Warm white

The colours shown throughout the brochure are reproduced as accurately as this process will allow and can be made to order on the identified products.

Please Note: Colour options are available in the Arno Towel Rail Range and Verona Towel Rail only. Price of coloured radiators are available on request. When a coloured radiator has been ordered it cannot be cancelled or returned. All coloured radiators have a 6 week lead time from date of order.



Glossary

Btu/hr British Thermal Unit per hour is the standard measurement used to state the amount of output of any heat generating device.

Watts Is another measurement for heat output, 1 watt is equivalent to 3.412 Btu/hr.

Type 11 Also known as Type K1, is a type of radiator with 1 radiator panel and 1 set of convection fins.

Type 21 Also known as Type P+, is a type of radiator with 2 radiator panels and 1 set of convection fins.

Type 22 Also known as Type K2, is a type of radiator with 2 radiator panels and 2 sets of convection fins.

Δt Refers to the difference in temperature between the water circulating in the central heating system and that of the ambient temperature. It is important to use the correct Δt when selecting your radiators, as the same radiator will have different outputs at different water temperatures.

$\Delta t50$ $\Delta t50$ is the UK standard, however Henrad also quote at lower levels for lower water temperature systems.

Heat loss Is the amount of heat a room loses, it is therefore an important calculation when determining what size radiator is required to heat a room to the correct level.

Warranty The warranty covers any defect that is attributable to a manufacturing, assembly or material fault, further details available on request.



Is a set of International regulations related to quality management systems.

TBOE / BOE Refers to which position the pipes are connected to the radiator, OE means opposite end i.e. 1 pipe on each side, TB is top bottom i.e. 1 pipe is connected to the top and 1 to the bottom, B is both pipes connected to the bottom.



EN 442 is the European standard which defines the manufacturing standards for radiators and convectors which operate at temperatures of less than 120°C. The standard defines the type of steel which must be used, the type of pressure testing which must be carried out and the accuracy of the heat outputs quoted in the literature.

RAL A European wide colour matching system.

BSP British Standard Piping.



The CE marking is the manufacturers declaration that the product meets the requirements of the applicable EC directive. This is applicable to all Henrad products.



Notes





HENRAD

STELRAD RADIATOR GROUP



Henrad (UK) Limited, Marriott Road, Mexborough, South Yorkshire S64 8BN.
Telephone: 0844 543 6200 Facsimile: 0844 543 6300

www.henrad.co.uk

UIN 208863
HPR/5K/0317