

Column 2

Height mm	Length mm	White UIN	Colour UIN	Heat emissions	
				Watts	Btu/hr
500	624	313012	313012C	494	1685
	854	313013	313013C	684	2332
	1038	313014	313014C	836	2851
	1268	313015	313015C	1026	3499
600	624	313028	313028C	582	1986
	854	313029	313029C	806	2750
	1038	313030	313030C	986	3361
	1268	313031	313031C	1210	4125

Btu/hr @ $\Delta t50^{\circ}\text{C}$



Colour options available, see last 2 pages

For technical and installation information
visit our website www.henrad.co.uk/downloads

Due to production tolerances, the length of the product and therefore the tap centres could contain a variation of +/- 1.5% of the overall stated length.



Colour
Options now
Available

Column 3

Height mm	Length mm	White UIN	Colour UIN	Heat emissions	
				Watts	Btu/hr
300	440	313000	313000C	298	1016
	624	313001	313001C	430	1467
	854	313002	313002C	596	2032
	1038	313003	313003C	728	2483
	1268	313004	313004C	894	3048
	1452	313005	313005C	1026	3499
500	1866	313006	313006C	1324	4515
	440	313016	313016C	464	1584
	624	313017	313017C	671	2287
	854	313018	313018C	929	3167
	1038	313019	313019C	1135	3871
	1268	313020	313020C	1393	4751
600	1452	313021	313021C	1600	5455
	1866	313022	313022C	2064	7038
	440	313032	313032C	547	1866
	624	313033	313033C	790	2695
	854	313034	313034C	1094	3732
	1038	313035	313035C	1338	4561
750	1268	313036	313036C	1642	5598
	1452	313037	313037C	1885	6427
	1866	313038	313038C	2432	8293
	854	313044	313044C	1341	4573
	1038	313045	313045C	1639	5589
	1268	313046	313046C	2012	6859
750	1452	313047	313047C	2310	7875
	1866	313048	313048C	2980	10162

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Column 4

Height mm	Length mm	White UIN	Colour UIN	Heat emissions	
				Watts	Btu/hr
300	440	313007	313007C	381	1298
	624	313008	313008C	550	1875
	854	313009	313009C	761	2596
	1038	313010	313010C	931	3173
	1268	313011	313011C	1142	3895
500	440	313023	313023C	615	2096
	624	313024	313024C	888	3028
	854	313025	313025C	1229	4192
	1038	313026	313026C	1503	5124
	1268	313027	313027C	1844	6288
600	440	313039	313039C	730	2489
	624	313040	313040C	1054	3595
	854	313041	313041C	1460	4978
	1038	313042	313042C	1784	6084
	1268	313043	313043C	2190	7467
750	440	313049	313049C	900	3069
	624	313050	313050C	1300	4433
	854	313051	313051C	1800	6138
	1038	313052	313052C	2200	7502
	1268	313053	313053C	2700	9207

Btu/hr @ $\Delta t50^{\circ}\text{C}$

Technical information

Testing and Operating Pressures

Henrad Column Horizontal has been independently tested to ensure these radiators perform to a maximum working pressure of 10 bar.

Connections

Each radiator comes with $\frac{1}{2}$ " inlet connections as standard.

Paint Process

Two coat paint process, each Henrad radiator is subjected to a multi-stage cleaning and paint process.

The final powder coat is Traffic white (RAL 9016) which is stoved and cooled to give a perfect finish.
All radiators are illustrated in Traffic white unless stated.

Water Treatment

Installation of the system should be properly flushed and fitted in accordance with the British Code of Practice for the Treatment of Water in Domestic Hot Water Central Heating Systems.

Warranty

Henrad Column Horizontal comes with a 5 year manufacturer's warranty.

Column Floor Mounting Brackets

Are available in all RAL colours, see last 2 pages.




Henrad (UK) Limited, Marriott Road,
Mexborough, South Yorkshire S64 8BN.
Telephone: 0800 876 6813

www.henrad.co.uk

Henrad Column Horizontal

Wall Mounting Information


All dimensions in mm.



Colour Range

Standard Colour

Stelrad Radiators are available in white (RAL 9016) as standard, however this radiator is now available in a variety of colours within 14 days.




RAL 9016
Traffic white

RAL Colour




1001
Beige




1013
Oyster white




1015
Light ivory




9001
Cream




9002
Grey white




9003
Signal white



9010
Pure white



9016
Traffic white



9018
Papyrus white



9005
Jet black



9017
Traffic black



7001
Silver grey



7011
Iron grey



7015
Slate grey




7016
Anthracite grey



7030
Stone grey



7032
Pebble grey




7035
Light grey



7036
Platinum grey



7037
Dusty grey



7038
Agate grey



7039
Quartz grey



5002
Ultramarine blue



5010
Gentian blue



5012
Light blue



5014
Pigeon blue



5015
Sky blue



5022
Night blue




5024
Pastel blue



6005
Light moss green



6018
Yellow green



6019
Pastel green



6020
Chrome green



6027
Light green



6033
Mint turquoise

Please note: When a coloured radiator or radiators have been ordered they cannot be cancelled or returned.

Colour Range


RAL Colour



6034
Pastel turquoise




3000
Flame red




3002
Carmine red



3003
Ruby red



3005
Wine red



2003
Pastel orange



2003
Bright red orange




1004
Golden yellow



1016
Sulphur yellow



1021
Colza yellow



3015
Light pink



8014
Sepia




8017
Chocolate brown

Metallic




1247M
Bronze metallic



7001M
Silver metallic



9007M
Grey metallic



7026M
Granite



1019M
Cappuccino



8028M
Terra brown



9011M
Graphite black

**Get colour
products within
14 days.**

To request up to 5 colour samples,
please email
info@henrad.co.uk
or call **0800 876 6813**
with your choices
and address details.

The colours shown are reproduced as accurately
as this printing process will allow.

FOR FURTHER INFORMATION ON RAL COLOURS PLEASE VISIT WWW.RALCOLORCHART.COM