

Stelrad Group plo

Technical Data Verona Vertical





Height	Length			Heat emissions	
mm	mm	White UIN	Colour UIN	Watts	Btu/hr
1800	444	248340	248340C	852	2907
	592	248341	248341C	1136	3876
	740	248342	248342C	1420	4845
	444	248343	248343C	942	3214
2000	592	248344	248344C	1256	4286
	740	248345	248345C	1570	5357

Btu/hr @ ∆t50°C

Verona Vertical Double

Height	Length		Heat emissions		
mm	mm	White UIN	Colour UIN	Watts	Btu/hr
1800	444	248640	248640C	1254	4279
	592	248641	248641C	1672	5705
	740	248642	248642C	2090	7131
2000	444	248643	248643C	1386	4729
	592	248644	248644C	1848	6306
	740	248645	248645C	2310	7882

Btu/hr @ ∆t50°C









days



Colour options available, see last 2 pages

For technical and installation information visit our website www.henrad.co.uk/downloads



Technical Data Verona Vertical

Technical information

Testing and Operating Pressures

Henrad Verona Vertical has been independently tested to ensure radiators perform to a maximum working pressure of 4.0 bar.

Connections

Henrad Verona Vertical has $2 \times 1/2$ " BSP connections (BOE) as standard.

Paint Process

Two coat paint process, each Henrad radiator is subjected to a multi-stage cleaning and paint process.

The final powder coat is Traffic white (RAL 9016) which is stoved and cooled to give a perfect finish.

All radiators are illustrated in Traffic white unless stated.

Water Treatment

Installation of the system should be properly flushed and fitted in accordance with the British Code of Practice for the Treatment of Water in Domestic Hot Water Central Heating Systems.


Warranty


Henrad Verona Vertical comes with a 5 year manufacturer's warranty.

Henrad Verona Vertical

Wall Mounting Information

All dimensions in mm.





Height	Width	Α
1800	444	1500
1800	592	1500
1800	740	1500
2000	444	1700
2000	592	1700
2000	740	1700













Henrad (UK) Limited, Marriott Road, Mexborough, South Yorkshire S64 8BN. Telephone: 0800 876 6813

Colour Range

Standard Colour

Stelrad Radiators are available in white (RAL 9016) as standard, however this radiator is now available in a variety of colours within 14 days.



RAL 9016 Traffic white

RAL Colour



Please note: When a coloured radiator or radiators have been ordered they cannot be cancelled or returned.

Colour Range

RAL Colour



Metallic



